Neuroscience Letters, 135 (1992) 279–282
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Aguado, F., Sánchez-Franco, F., Cacidedo, L., Fernández, T., Rodrigo, J. and Martinez-Murillo, R., Subcellular localization of insulin-like growth factor I (IGF-I) in Purkinje cells of the adult rat: an immunocytochemical study, 171
Aguayo, L.G., see Luebke, J.I., 210
Althaus, H.H., Klöppner, S., Schmidt-Schultz, T. and Schwartz, P., Nerve growth factor induces proliferation and enhances fiber regeneration in oligodendrocytes isolated from adult pig brain, 219
Angenstein, F., Staak, S. and Jork, R., Phorbol ester-induced changes in rat hippocampal glycoprotein fucosylation, 269
Arens, J., see Friedman, A., 13
Avoli, M., see Psarropoulou, C., 139

Bacciarelli, C., see Manzini, S., 1
Bader, S., see Nitsch, R., 33
Balster, R.L., see Jortani, S.A., 136
Beck, T., Wree, A. and Sauer, D.D., Chronic infusion of nerve growth factor does not rescue pyramidal cells after transient forebrain ischemia in the rat, 252
Bédard, P.J., see Gomez-Mancilla, B., 129
Benz, A.M., see Izumi, Y., 227
Bergendorff, O., see Rutherford, D.M., 224
Bianchi, A.L., see Núñez-Abades, P.A., 103
Bittar, P., see Muller, D., 18
Boatell, M.L., see Lindefors, N., 262
Boddeke, H., see Muller, D., 18
Brenner, E. and Cornelissen, F.W., Development of visually guided behaviour requires oriented contours, 87
Brody, M.J., see Machado, B.H., 91
Budai, D., Wilcox, G.L. and Larson, A.A., Enhancement of NMDA-evoked neuronal activity by glycine in the rat spinal cord in vivo, 265
Burlet, A., see Menzaghi, F., 49
Burlet, C., see Menzaghi, F., 49

Cacidedo, L., see Aguado, F., 171
Caldwell, J.H., see Milton, R.L., 41
Campbell, A.K., see Scolding, N.J., 95
Carlsson, B., see Eriksson, P.S., 28
Carrithers, M.D., Masuda, S., Koide, K.A. and Weyhenmeyer, J.A., Characterization of a high affinity, guanine nucleotide sensitive angiotensin receptor on differentiated neuroblastoma-glioma hybrid cells (NG108–15), 45
Chahl, L.A., see Johnston, P.A., 23
Chan, J., see Lustig, H.S., 259
Chapleur, M., see Menzaghi, F., 49
Chesselet, M.-F., see Gonzales, C., 53
Chuang, D.-M., see Gao, X.-M., 159
Cler, J.A., see Vazquez, M.L., 149
Clifford, D.B., see Izumi, Y., 227
Compston, D.A.S., see Scolding, N.J., 95
Cornelissen, F.W., see Brenner, E., 87
Costa, E., see Kiedrowski, L., 59

Dabsys, S.M., see Garcia, S.I., 193
Deleplanque, B., Neveu, P.J., Vitiello, S. and Le Moal, M., Early effects of unilateral lesions of substantia nigra on immune reactivity, 205
Delfs, J.R., see Joseph, R., 153
Delorenzi, A., see Garcia, S.I., 193
Dieguez, C., see Señaris, R.M., 80
Dominguez, F., see Señaris, R.M., 80
Dussault, J.H., see Puymirat, J., 239

Eriksson, P.S., Nilsson, M., Carlsson, B., Isaksson, O.G.P., Rönnbäck, L. and Hansson, E., Chronic elevation of cAMP levels induces changes in the adenylate cyclase system, opiate receptor sensitivity and levels of G_s-mRNA in cultured neurons, 28

Fanelli, M., Nahmod, V.E., Torres, N., Santajuliana, D., García, S.I., Finkielman, S. and Pirola, C.J., Brain amines in glucocorticoid-induced hypertension in the rat, 189
Fernández, T., see Aguado, F., 171
Ficker, E., see Stabel, J., 231
Finkielman, S., see Fanelli, M., 189
Finkielman, S., see Garcia, S.I., 193
Fonnum, F., see Fykse, E.M., 125
Frangione, B., see Wisniewski, T., 235
Friedman, A., Arens, J., Heinemann, U. and Gutnick, M.J., Slow depolarizing afterpotentials in neocortical neurons are sodium and calcium dependent, 13
Frotscher, M., see Nitsch, R., 33
Furukawa, S., see Ishikawa, R., 113
Furukawa, Y., see Ishikawa, R., 113
Fykse, E.M., Iversen, E.G. and Fonnum, F., Inhibition of L-glutamate uptake into synaptic vesicles, 125

Gao, X.-M. and Chuang, D.-M., Carbamazepine-induced neurotoxicity and its prevention by NMDA in cultured cerebellar granule cells, 159
Garaschuk, O., Kovalchuk, Y. and Krishtal, O., Adenosine-dependent enhancement by methylxanthines of excitatory synaptic transmission in hippocampus of rats, 10
Garcia, S.I., Pirola, C.J., Dabsys, S.M., Santajuliana, D., Delorenzi, A., Finkielman, S. and Nahmod, V.E., The cholinergic system participates in thyrotropin-releasing hormone (TRH) regulation, 193
García, S.I., see Fanelli, M., 189
Garland, D.J., see Vazquez, M.L., 149
Gemba, T., Matsunaga, K. and Ueda, M., Changes in extracellular concentration of amino acids in the hippocampus during cerebral ischemia in stroke-prone SHR, stroke-resistant SHR and normotensive rats, 184
Gilhodes, J.C., Gurfinkel, V.S. and Roll, J.P., Role of Ia muscle spindle afferents in post-contraction and post-vibration motor effect genesis, 247
Glickstein, M., Kralj-Hans, I., Legg, C., Mercier, B., Ramna-Rayan, M. and Vaudano, E., The organisation of fibres within the rat basis pedunculi, 75
Gomez-Mancilla, B. and Bédard, P.J., Effect of estrogen and progesterone on L-DOPA induced dyskinesia in MPTP-treated monkeys, 129
Gonzales, C., Lin, R.C.-S. and Chesselet, M.-F., Relative sparing of GABAergic interneurons in the striatum of gerbils with ischemia-induced lesions, 53
Greenberg, D.A., see Lustig, H.S., 259

Gurfinkel, V.S., see Gilhodes, J.C., 247
Gutnick, M.J., see Friedman, A., 13

Hansen, S.K., see Rutherford, D.M., 224
Hansson, E., see Eriksson, P.S., 28
Harrison, N.L., see Lambert, N.A., 215
Haschke, W., see Richter, F., 133
Hayashi, K., see Ishikawa, R., 113
Heinemann, U., see Stabel, J., 231
Heinemann, U., see Friedman, A., 13
Herschkowitz, S., see Mok, W.M., 145
Hood, W.F., see Vazquez, M.L., 149

Ichikawa, M., see Kuroda, Y., 255
Ikai, Y., see Shinonaga, Y., 179
Isaksson, O.G.P., see Eriksson, P.S., 28
Ishikawa, R., Nishikori, K., Furukawa, Y., Hayashi, K. and Furukawa, S., Injury-induced reduction of acidic fibroblast growth factor levels in the distal parts of rat sciatic nerve, 113
Iuvone, P.M., see Zawilska, J.B., 71
Iversen, E.G., see Fykse, E.M., 125
Iyengar, S., see Vazquez, M.L., 149
Izumi, Y., Benz, A.M., Clifford, D.B. and Zorumski, C.F., Nitric oxide inhibitors attenuate *N*-methyl-D-aspartate excitotoxicity in rat hippocampal slices, 227

Johnston, P.A. and Chahl, L.A., Chronic treatment with ascorbic acid inhibits the morphine withdrawal response in guinea-pigs, 23
Jork, R., see Angenstein, F., 269
Jortani, S.A., Willetts, J. and Balster, R.L., Systemic magnesium chloride administration fails to produce phencyclidine-like discriminative stimulus effects in rats, 136
Joseph, R., Saroff, D.M. and Delfs, J.R., Platelet secretory products have a damaging effect on neurons, 153

Kiedrowski, L., Costa, E. and Wroblewski, J.T., In vitro interaction between cerebellar astrocytes and granule cells: a putative role for nitric oxide, 59
Klöppner, S., see Althaus, H.H., 219
Kobayashi, K., see Kuroda, Y., 255
Koide, K.A., see Carrithers, M.D., 45
Kolb, J., see Scheller, D., 83
Kovalchuk, Y., see Garaschuk, O., 10
Kralj-Hans, I., see Glickstein, M., 75
Krieger, N.R., see Mok, W.M., 145
Krishtal, O., see Garaschuk, O., 10
Kudo, Y., see Kuroda, Y., 255
Kuroda, Y., Ichikawa, M., Muramoto, K., Kobayashi, K., Matsuda, Y., Ogura, A. and Kudo, Y., Block of synapse formation between cerebral cortical neurons by a protein kinase inhibitor, 255

Lago, F., see Señaris, R.M., 80
Lambert, N.A., Levitin, M. and Harrison, N.L., Induction of giant depolarizing potentials by zinc in area CA1 of the rat hippocampus does not result from block of $GABA_B$ receptors, 215
Larson, A.A., see Budai, D., 265
Legg, C., see Glickstein, M., 75
Lehman, M.N., see Norgren Jr., R.B., 201
Leichsenring, A., see Richter, F., 133
Le Moal, M., see Deleplanque, B., 205
Leonard, R.B., see Puzdrowski, R.L., 196
Levitin, M., see Lambert, N.A., 215
Lewis, M.D., see Señaris, R.M., 80
Lin, R.C.-S., see Gonzales, C., 53
Lindefors, N., Boatell, M.L., Mahy, N. and Persson, H., Widespread neuronal degeneration after ibotenic acid lesioning of cholinergic neurons in the nucleus basalis revealed by in situ hybridization, 262
Lippert, J., see Norgren Jr., R.B., 201
Luebke, J.I., Weight, F.F. and Aguayo, L.G., Labelling and recording from dissociated target-specific rat superior cervical ganglion neurons, 210
Lupa, M.T., see Milton, R.L., 41
Lustig, H.S., Chan, J. and Greenberg, D.A., Ethanol inhibits excitotoxicity in cerebral cortical cultures, 259

Machado, B.H. and Brody, M.J., The nucleus ambiguus region participates in arterial pressure regulation, 91
Mahy, N., see Lindefors, N., 262
Manzini, S., Bacciarelli, C., Perfumi, M. and Massi, M., Impairment of renal urinary excretion in neonatal, but not in adult capsaicin-pretreated rats, 1
Marchand, R., see Puymirat, J., 239
Maršala, J., see Vanicky, I., 167
Maršala, M., see Vanicky, I., 167
Martinez-Murillo, R., see Aguado, F., 171
Massi, M., see Manzini, S., 1
Masuda, S., see Carrithers, M.D., 45
Matsuda, Y., see Kuroda, Y., 255
Matsuda, Y., see Toki, S., 117
Matsunaga, K., see Gemba, T., 184
McGeer, E.G., see Yamada, T., 99
McGeer, P.L., see Yamada, T., 99
Menzaghi, F., Burlet, A., Chapleur, M., Nicolas, J.-P. and Burlet, C., Alteration of pituitary-adrenal responses to adrenalectomy by the immu- nological targeting of CRF neurons, 49
Mercier, B., see Glickstein, M., 75
Mick, S.J., see Vazquez, M.L., 149
Milton, R.L., Lupa, M.T. and Caldwell, J.H., Fast and slow twitch skeletal muscle fibres differ in their distribution of Na channels near the endplate, 41
Mizuno, N., see Shinonaga, Y., 179
Mok, W.M., Herschkowitz, S. and Krieger, N.R., Evidence that 3α-hydroxy-5α-pregnan-20-one is the metabolite responsible for anesthesia induced by 5α-pregnanedione in the mouse, 145
Monahan, J.B., see Vazquez, M.L., 149
Morgan, B.P., see Scolding, N.J., 95
Mori, S., see Shimoda, N., 175
Morishita, Y., see Toki, S., 117
Muller, D., Bittar, P. and Boddeke, H., Induction of stable long-term potentiation in the presence of the protein kinase C antagonist staurosporine, 18
Muramoto, K., see Kuroda, Y., 255
Murár, J., see Vanicky, I., 167
Mytilineou, C., Park, T.H. and Shen, J., Epidermal growth factor-induced survival and proliferation of neuronal precursor cells from embryonic rat mesencephalon, 62

Nadelhaft, I. and Vera, P.L., Reduced urinary bladder afferent conduction velocities in streptozotocin diabetic rats, 276
Nahmod, V.E., see Fanelli, M., 189
Nahmod, V.E., see Garcia, S.I., 193
Neveu, P.J., see Deleplanque, B., 205
Nicolas, J.-P., see Menzaghi, F., 49
Nielsen, M.P.C., see Rutherford, D.M., 224
Nilsson, M., see Eriksson, P.S., 28
Nishikori, K., see Ishikawa, R., 113

Nishizawa, O., see Shimoda, N., 175
Nitsch, R., Bader, S. and Frotscher, M., Reorganization of input synapses of parvalbumin-containing neurons in the rat fascia dentata following entorhinal lesion, 33
Norgren Jr., R.B., Lippert, J. and Lehman, M.N., Luteinizing hormone-releasing hormone in the pigeon terminal nerve and olfactory bulb, 201
Núñez-Abades, P.A., Pásaro, R. and Bianchi, A.L., Study of the topographical distribution of different populations of motoneurons within rat's nucleus ambiguus, by means of four different fluorochromes, 103

Ogawa-Meguro, R., see Shinonaga, Y., 179
Ogura, A., see Kuroda, Y., 255

Park, T.H., see Mytilineou, C., 62
Pásaro, R., see Núñez-Abades, P.A., 103
Paschen, W., Widmann, R. and Weber, C., Changes in regional polyamine profiles in rat brains after transient cere- bral ischemia (single versus repetitive ischemia): evidence for release of polyamines from injured neurons, 121
Peers, C., see Reeve, H.L., 37
Perfumi, M., see Manzini, S., 1
Persson, H., see Lindefors, N., 262
Pierson, M.G., see Snyder-Keller, A.M., 108
Pirola, C.J., see Garcia, S.I., 193
Pirola, C.J., see Fanelli, M., 189
Prince, R.J. and Simmonds, M.A., 5β-Pregnan-3β-ol-20-one, a specific antagonist at the neurosteroid site of the $GABA_A$ receptor-complex, 273
Psarropoulou, C. and Avoli, M., CPP, an NMDA-receptor antagonist, blocks 4-aminopyridine-induced spreading depression episodes but not epileptiform activity in immature rat hippocampal slices, 139
Puymirat, J., Marchand, R. and Dussault, J.H., Immunocytochemical localization of β thyroid receptor in the rat cerebellum, 239
Puzdrowski, R.L. and Leonard, R.B., Variations in cerebellar morphology of the Atlantic stingray, *Dasyatis sabina*, 196

Ramna-Rayan, M., see Glickstein, M., 75
Rao, T.S., see Vazquez, M.L., 149
Reeve, H.L., Vaughan, P.F.T. and Peers, C., Glibenclamide inhibits a voltage-gated K^+ current in the human neuroblastoma cell line SH-SY5Y, 37
Richter, F., Wicher, C., Schmidt, D., Leichsenring, A. and Haschke, W., Activation state of the cortex could be changed by reinforcement of low-amplitude visual evoked potentials in rabbits, 133
Rodrigo, J., see Aguado, F., 171
Roll, J.P., see Gilhodes, J.C., 247
Rönnbäck, L., see Eriksson, P.S., 28
Rutherford, D.M., Nielsen, M.P.C., Hansen, S.K., Witt, M.-R., Bergendorff, O. and Sterner, O., Isolation and identification from *Salvia officinalis* of two diterpenes which inhibit *t*-butylbicyclophosphoro[^{35}S]thionate binding to chloride channel of rat cerebrocortical membranes in vitro, 224

Sánchez-Franco, F., see Aguado, F., 171
Sano, T., see Toki, S., 117
Santajuliana, D., see Fanelli, M., 189
Santajuliana, D., see Garcia, S.I., 193
Saroff, D.M., see Joseph, R., 153
Sauer, D.D., see Beck, T., 252
Scanlon, M.F., see Señaris, R.M., 80
Scheller, D., Kolb, J. and Tegtmeier, F., Lactate and pH change in close correlation in the extracellular space of the rat brain during cortical spreading depression, 83
Schmidt, D., see Richter, F., 133
Schmidt-Schultz, T., see Althaus, H.H., 219
Schwartz, P., see Althaus, H.H., 219
Scolding, N.J., Morgan, B.P., Campbell, A.K. and Compston, D.A.S., The role of calcium in rat oligodendrocyte injury and repair, 95
Señaris, R.M., Lewis, M.D., Lago, F., Dominguez, F., Scanlon, M.F. and Dieguez, C., Stimulatory effect of free fatty acids on growth hormone releasing hor- mone secretion by fetal rat neurons in monolayer culture, 80
Shen, J., see Mytilineou, C., 62
Shimoda, N., Takakusaki, K., Nishizawa, O., Tsuchida, S. and Mori, S., The changes in the activity of pudendal motoneurons in relation to reflex micturition evoked in decerebrate cats, 175
Shinonaga, Y., Takada, M., Ogawa-Meguro, R., Ikai, Y. and Mizuno, N., Direct projections from the globus pallidus to the midbrain and pons in the cat, 179
Simmonds, M.A., see Prince, R.J., 273
Smith, D.O., Routes of acetylcholine leakage from cytosolic and vesicular compartments of rat motor nerve terminals, 5
Snyder-Keller, A.M. and Pierson, M.G., Audiogenic seizures induce c-*fos* in a model of developmental epilepsy, 108
Staak, S., see Angenstein, F., 269
Stabel, J., Ficker, E. and Heinemann, U., Young CA1 pyramidal cells of rats, but not dentate gyrus granule cells, express a delayed inward rectifying current with properites of I_Q, 231
Sterner, O., see Rutherford, D.M., 224
Sun, E.T., see Vazquez, M.L., 149

Takada, M., see Shinonaga, Y., 179
Takakusaki, K., see Shimoda, N., 175
Tegtmeier, F., see Scheller, D., 83
Timofeeva, O.A., Apparent disappearance of postseizure inhibitions and intensity of seizures during the development of rapid kindling in rabbits, 163
Toki, S., Morishita, Y., Sano, T. and Matsuda, Y., HS-142-1, a novel non-peptide ANP antagonist, blocks the cyclic GMP production elicited by natriuretic peptides in PC12 and NG108-15 cells, 117
Torres, N., see Fanelli, M., 189
Tsuchida, S., see Shimoda, N., 175

Ueda, M., see Gemba, T., 184

Vanicky, I., Maršala, M., Murár, J. and Maršala, J., Prolonged postischemic hyperventilation reduces acute neuronal damage after 15 min of cardiac arrest in the dog, 167
Vaudano, E., see Glickstein, M., 75
Vaughan, P.F.T., see Reeve, H.L., 37
Vazquez, M.L., Garland, D.J., Sun, E.T., Cler, J.A., Mick, S.J., Hood, W.F., Monahan, J.B., Iyengar, S. and Rao, T.S., Characterization of 3-carboxy-5-phosphono-1,2,3,4-tetrahydroisoquino-line (SC-48981), a potent competitive *N*-methy-D-aspartate (NMDA) receptor antagonist, in vitro and in vivo, 149
Vera, P.L., see Nadelhaft, I., 276
Vitiello, S., see Deleplanque, B., 205

Walz, W., Mechanism of rapid K^+-induced swelling of mouse astrocytes, 243
Weber, C., see Paschen, W., 121
Weight, F.F., see Luebke, J.I., 210
Weyhenmeyer, J.A., see Carrithers, M.D., 45
Wicher, C., see Richter, F., 133

Widmann, R., see Paschen, W., 121
Wilcox, G.L., see Budai, D., 265
Willetts, J., see Jortani, S.A., 136
Wisniewski, T. and Frangione, B., Apolipoprotein E: a pathological chaperone protein in patients with cerebral and systemic amyloid, 235
Witt, M.-R., see Rutherford, D.M., 224
Wree, A., see Beck, T., 252
Wroblewski, J.T., see Kiedrowski, L., 59

Yaksh, T.L., see Yamamoto, T., 67
Yamada, T., McGeer, P.L. and McGeer, E.G., Appearance of paired nucleated, Tau-positive glia in patients with progressive supranuclear palsy brain tissue, 99
Yamamoto, T. and Yaksh, T.L., Studies on the spinal interaction of morphine and the NMDA antagonist MK-801 on the hyperesthesia observed in a rat model of sciatic mononeuropathy, 67

Zawilska, J.B. and Iuvone, P.M., Melatonin synthesis in chicken retina: effect of kainac acid-induced lesions on the diurnal rhythm and D_2-dopamine receptor-mediated regulation of serotonin *N*-acetyltransferase activity, 71
Zorumski, C.F., see Izumi, Y., 227

CONTENTS *(continued from the back cover)*

Immunocytochemical localization of β thyroid receptor in the rat cerebellum
J. Puymirat, R. Marchand and J.H. Dussault (Canada) 239
Mechanism of rapid K^+-induced swelling of mouse astrocytes
W. Walz (Canada) 243
Role of Ia muscle spindle afferents in post-contraction and post-vibration motor effect genesis
J.C. Gilhodes, V.S. Gurfinkel and J.P. Roll (France, U.S.S.R.) 247
Chronic infusion of nerve growth factor does not rescue pyramidal cells after transient forebrain ischemia in the rat
T. Beck, A. Wree and D.D. Sauer (F.R.G.) 252
Block of synapse formation between cerebral cortical neurons by a protein kinase inhibitor
Y. Kuroda, M. Ichikawa, K. Muramoto, K. Kobayashi, Y. Matsuda, A. Ogura and Y. Kudo (Japan) 255
Ethanol inhibits excitotoxicity in cerebral cortical cultures
H.S. Lustig, J. Chan and D.A. Greenberg (U.S.A.) 259
Widespread neuronal degeneration after ibotenic acid lesioning of cholinergic neurons in the nucleus basalis revealed by in situ hybridization
N. Lindefors, M.L. Boatell, N. Mahy and H. Persson (Sweden, Spain) 262
Enhancement of NMDA-evoked neuronal activity by glycine in the rat spinal cord in vivo
D. Budai, G.L. Wilcox and A.A. Larson (U.S.A.) 265
Phorbol ester-induced changes in rat hippocampal glycoprotein fucosylation
F. Angenstein, S. Staak and R. Jork (F.R.G.) 269
5β-Pregnan-3β-ol-20-one, a specific antagonist at the neurosteroid site of the $GABA_A$ receptor-complex
R.J. Prince and M.A. Simmonds (U.K.) 273
Reduced urinary bladder afferent conduction velocities in streptozotocin diabetic rats
I. Nadelhaft and P.L. Vera (U.S.A.) 276